In the claims:

1. (Previously Presented) A compound of formula I:

$$(Y_1)_a \searrow_A \bigvee_{R_1} \bigvee_{R_1} \bigvee_{R_2} F_2$$

wherein, independently for each occurrence,

L is a bond or L is alkyl, alkenyl, or cycloalkyl which may be substituted with one or more R₁;

A is a monocyclic ring of 4-7 atoms containing 0-2 heteroatoms, a bicyclic ring of 8-12 atoms containing 0-4 heteroatoms or a tricyclic ring of 12-16 atoms containing 0-6 heteroatoms wherein the rings are independently aliphatic, aromatic, heteroaryl, or heterocyclic; wherein the heteroatoms selected from N, S, and O, and wherein the rings are optionally substituted with one or more groups selected from C₁₋₄ alkyl, CH₂OH, OR", SR", CN, N(R")₂, CH₂N(R")₂, NO₂, CF₃, CO₂R", CON(R")₂, COR", NR"C(O)R", F, Cl, Br, I and -S(O)₆CF₃, wherein R" is H, alkyl or alkaryl;

 R_1 is, independently for each occurrence, H, alkyl, cycloalkyl, aryl, or alkaryl;

R2 is

wherein, independently for each occurrence,

B is a bond, $C(R_1)_2$ or C=O;

E is O or S:

$$\begin{array}{c} \text{N-B-}(\text{CH}_2)_{b-B-} \overset{R_1}{\underset{(CH_2)_b}{(H_1)}} \text{ N-B-}(\text{CH}_2)_{b-B-} \overset{(CH_2)_n}{\underset{(CH_2)_n}{(CH_2)_n}} \\ \text{D is } C(R_1)_2, \, NR_1, \, C=0, \end{array}$$

providing that the two Ds are different;

J is NR₁, CH₂, CH₂CH₂, or O;

M is CR₁ or N;

Q is N or CH;

U is O, H2, or CH2;

Page 4 of 24

X is H, C₁₋₄ alkyl, CH₂OH, OR₁, SR₁, CN, N(R₁)₂, CH₂N(R₁)₂, NO₂, CF₃, CO₂R₁,

CON(R₁)₂, COR₁, NR₁C(O)R₁, F, Cl, Br, I, -S(O)_rCF₃,

Z is H, C₁₋₄ alkyl, N(R₁)₂, NHC(O)R₁, NHCH₂C(O)R₁ or NHC(O)CH=CHR₁;

r is 0, 1, or 2;

 R_6 is $C(O)OR_1$;

R₁ is as previously defined;

b is an integer from 0-4;

R₃ is alkyl or cycloalkyl;

a is an integer from 0-4; and

Y₁ is

$$\mathsf{R_5} \overset{\mathsf{R_4}}{\underset{\mathsf{I}}{\bigvee}} (\mathsf{CH_2})_{\mathsf{n}} \overset{\mathsf{S}}{\underset{\mathsf{S}}{\bigvee}}$$

wherein,

R4 is a water solubilizing group;

R5 is H, alkyl, or cycloalkyl; and

n is an integer from 0 to 4;

or a pharmaceutically acceptable salt thereof.

2. (Original) The compound of claim 1, wherein L is a C2 alkenyl.

- 3. (Withdrawn) The compound of claim 1, wherein L is a C_2 alkenyl and R_2 is wherein B is C=O.
- 4. (Withdrawn) The compound of claim 1, wherein L is a C2 alkenyl and R2 is

5. (Original) The compound of claim 1, wherein L is a C_2 alkenyl and R_2 is wherein R_1 is H.

- 6. (Original) The compound of claim 1, wherein L is a C_2 alkenyl and R_2 is wherein R_1 is H and the D adjacent to B is NR_1 .
 - x_2 is x = 0 x_2
- 7. (Original) The compound of claim 1, wherein L is a C_2 alkenyl and R_2 is wherein Z is $N(R_1)_2$.
 - x X Z,
- 8. (Original) The compound of claim 1, wherein L is a C2 alkenyl and R2 is

wherein Z is N(R₁)₂ and Q is

- 9. (Original) The compound of claim 1, wherein A is a 6 membered monocyclic aryl.
- 10. (Original) The compound of claim 1, wherein A is a 10 membered bicyclic aryl.
- 11. (Original) The compound of claim 1, wherein A is a 12 membered tricyclic aryl.
- 12. (Original) The compound of claim 1, wherein A is an 8 membered bicyclic heteroaryl.
- 13. (Original) The compound of claim 1, wherein A is a 9 membered bicyclic heteroaryl.
- 14. (Original) The compound of claim 1, wherein A comprises at least 1 heteroatom.
- 15. (Original) The compound of claim 1, wherein A comprises at least 2 heteroatoms.
- 16. (Original) The compound of claim 1, wherein A comprises at least 1 nitrogen atom.
- 17. (Original) The compound of claim 1, wherein A comprises at least 1 oxygen atom.
- 18. (Original) The compound of claim 1, wherein A comprises at least 1 sulfur atom.
- 19. (Original) The compound of claim 1, wherein A comprises at least 2 sulfur atoms.
- 20. (Original) The compound of claim 1, wherein the compound is selected from the following:
 - $\label{eq:condition} $$(E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-(1-propyl-naphthalen-2-ylmethyl)acrylamide hydrochloride;$
 - (E)-3-(3,3-Dimethyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)acrylamide hydrochloride;
 - $\label{eq:condition} $$(E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-naphthalen-2-ylmethyl-acrylamide hydrochloide;$
 - (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)-N-naphthalen-1-ylmethyl-acrylamide hydrochloride;
 - $\label{eq:condition} \begin{tabular}{ll} $(E)-N-(4-Acetylamino-benzyl)-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide; \end{tabular}$
 - (E)-N-(4-Methanesulfonyl-benzyl)-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide;

- (E)-N-(2-Methoxy-naphthalen-1-ylmethyl)-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-vl)acrylamide:
- $\label{lem:condition} \begin{tabular}{ll} $(E)-N-Methyl-N-(4-methyl-naphthalen-1-ylmethyl)-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide; \end{tabular}$
- $\label{eq:condition} \begin{tabular}{ll} (E)-$N-(2,3-Dimethyl-benzyl)-$N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl) acrylamide; \end{tabular}$
- (E)-N-(4-Isopropyl-benzyl)-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide;
- $\label{eq:condition} \begin{tabular}{ll} (E)-N-Indan-5ylmethyl-N-methyl-$3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide; \end{tabular}$
- $\label{eq:condition} $(E)-N-Indan-5ylmethyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1$H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloide;$
- (E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- $\label{eq:condition} \begin{tabular}{ll} (E)-$N-(3,5-Dimethoxy-benzyl)-$N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1$H-pyrido[2,3-$e][1,4]diazepin-7-yl)acrylamide hydrochloride; \end{tabular}$
- (E)-N-[2-(1H-Indol-3-yl)-ethyl]-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-(2,4,5-trimethoxy-benzyl)acrylamide hydrochloride;
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)-N-phenanthren-9-ylmethyl-acrylamide hydrochloride;
- (E)-N-Acenaphthen-5-ylmethyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;

- (E)-N-(4-Methoxy-naphthalen-1ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride:
- (E)-N-Benzo[1,3]dioxol-5-ylmethyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- $\label{eq:condition} (E)-N-(2,5-\text{Dimethoxy-benzyl})-N-\text{methyl-3-}(4-\text{methyl-2-oxo-2},3,4,5-\text{tetrahydro-}1H-\text{pyrido}[2,3-e][1,4]\\ diazepin-7-yl)\\ \text{acrylamide hydrochloride;}$
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)-N-quinolin-4-ylmethyl-acrylamide hydrochloride;
- (E)-N-(4-Ethoxy-3-methoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(2-Ethoxy-3-methoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(3,4-Dimethyl-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-<math>e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- $\label{eq:condition} $$(E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-$$N-(2,4,6-trimethyl-benzyl)acrylamide hydrochloride;$
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-(2,4,5-trimethyl-benzyl)acrylamide hydrochloride;
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)-*N*-quinolin-3-ylmethyl-acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-(3,4-{\rm Dimethoxy-benzyl})-N-{\rm methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1} H-{\rm pyrido}[2,3-e][1,4]{\rm diazepin-7-yl)acrylamide hydrochloride;}$
- (E)-N-Benzofuran-2-ylmethyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;

- (E)-N-Methyl-N-(2-methyl-naphthalen-1-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Biphenyl-2-ylmethyl-methyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Biphenyl-3-ylmethyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(2-Ethoxy-napthalen-1-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(2-Ethoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)-N-(2,3,4-trimethoxy-benzyl)acrylamide hydrochloride;
- (E)-N-(2,3-Dihydro-benzo[1,4]dioxin-6ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(2,3-Diethoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(3-Ethoxy-2-methoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-(2-Ethoxy-3-methyl-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;$
- (E)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-quinolin-5ylmethyl-acrylamide hydrochloride;
- (E)-N-(3-Methoxy-2-propoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;

- (E)-N-(3-Methoxy-2-isopropoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride:
- (E)-N-methyl-N-(3-methyl-benzofuran-2-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(3-Chloro-2-methoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-(3-\text{Chloro-}2-\text{ethoxy-benzyl})-N-\text{methyl-}3-(4-\text{methyl-}2-\text{oxo-}2,3,4,5-\text{tetrahydro-}1H-\text{pyrido}[2,3-e][1,4]\text{diazepin-}7-yl)\text{acrylamide hydrochloride;}$
- (E)-N-(2,3-Dihydro-benzo[1,4]dioxin-5-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(4,5-Dimethyl-naphthalen-1-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Methyl-N-(2-methyl-benzofuran-3-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)-N-quinolin-5-ylmethyl-acrylamide hydrochloride;
- (E)-N-benzyl-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl) acrylamide;
- $\label{lem:energy} $$(E)-(7-\{2-[Methyl-(1-methyl-1H-indol-2-ylmethyl)carbamoyl]vinyl\}-2-oxo-1,2,3,5-tetrahydro-pyrido[2,3-e][1,4]diazepin-4-yl)acetic acid ethyl ester hydrochloride;$
- $\label{eq:condition} $(E)-N-(2,3-Dimethoxy-benzyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;$
- (E)-N-Methyl-N-(4-methyl-naphthalen-1-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;

- (E)-N-(2-Methoxy-naphthalen-1-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride:
- I-(+)-(E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4] diazepin-7-yl)-N-(1-naphthalen-1-yl-ethyl) acrylamide hydrochloride;
- (S)-(-)-(E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-
- e][1,4]diazepin-7-yl)-N-(1-naphthalen-1-yl-ethyl)acrylamide hydrochloride;
- (E)-N-Benzo[b]thiophen-2-ylmethyl-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-N-(3-trifluoromethyl-benzyl)acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-(2-\text{Chloro-benzyl})-N-\text{methyl}-3-(4-\text{methyl}-2-\text{oxo}-2,3,4,5-\text{tetrahydro}-1H-\text{pyrido}[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;$
- $\label{eq:condition} $(E)-N-Methyl-N-(4-methyl-benzyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;$
- $\label{eq:continuity} $(R)^{-(-)-(E)-N-$Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-(10-oxo-2,3,4,9,10,10^a-hexahydro-1H-3^a,8,9-triaza-benzo[f]azulen-6-yl)acrylamide hydrochloride;$
- (S)-(+)-(E)-N-Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-(10-oxo-2,3,4,9,10,10^a-hexahydro-1H-3^a,8,9-triaza-benzo[f]azulen-6-yl)acrylamide hydrochloride;
- $\label{eq:condition} $(E)-3-[4-(4-Methoxy-benzyl)-2-oxo-2,3,4,5-tetrahydro-1$H-pyrido[2,3-e][1,4]diazepin-7-yl]-$N-methyl-$N-(1-methyl-1$H-indol-2-ylmethyl)acrylamide hydrochloride;$
- $\label{eq:condition} $(E)-N-Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-(2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;$
- (E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-[4-(2-morpholin-4-yl-ethyl)-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yllacrylamide hydrochloride;

- $\label{eq:condition} (E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-[4-(3-morpholin-4-yl-propyl)-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl]acrylamide hydrochloride;$
- $\label{eq:condition} $$(E)-N-(2-Ethoxy-3-methoxy-benzyl)-N-methyl-3-\{4-[2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-2-oxo-2,3,4,5-tetrahydro-1$$H-pyrido[2,3-e][1,4]$ diazepin-7-yl$ acrylamide hydrochloride;$
- (S)-(+)-(E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-(10-oxo-2.3,4,9,10,10\(^a\)-hexahydro-1H-3\(^a\),8,9-triaza-benzo[f]azulen-6-yl)acrylamide hydrochloride;
- (R)-(-)-(E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-(10-oxo-2,3,4,9,10,10³-hexahydro-1H-3³,8,9-triaza-benzo[f]azulen-6-yl)acrylamide hydrochloride;
- (E)-N-(4-Fluoro-naphthalen-1-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-T-yl)acrylamide hydrochloride;
- (E)-N-(4-Chloro-naphthalen-1-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-Methyl-N-(3-methyl-benzofuran-2-ylmethyl)-3-[4-(3-morpholin-4-yl-propyl)-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl]acrylamide hydrochloride;
- (E)-N-(2-Isopropoxy-3-methoxy-benzyl)-N-methyl-3-[4-(3-morpholin-4-yl-propyl)-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl]acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-\text{Methyl-}N-(3-\text{methyl-benzo}[b]\text{thiophen-}2-\text{ylmethyl})-3-\{4-[3-(4-\text{methyl-piperazin-1-yl})\text{propyl}]-2-\text{oxo-}2,3,4,5-\text{tetrahydro-}1H-\text{pyrido}[2,3-e][1,4]\text{diazepin-}7-yl\}\text{acrylamide hydrochloride;}$
- (E)-N-Methyl-N-(2-methyl-benzofuran-3-ylmethyl)-3-[4-(3-morpholin-4-yl-propyl)-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl]acrylamide hydrochloride;

- (E)-N-(3-Chloro-benzo[b]thiophen-2-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-y0)acrylamide hydrochloride;
- (E)-N-(5-Chloro-1-methyl-1H-indol-2-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-(1,7-Dimethyl-1H-indol-2-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;$
- (E)-N-(5-Fluoro-3-methyl-benzo[b]thiophen-2-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-N-(5-Chloro-3-methyl-benzo[b]thiophen-2-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)acrylamide hydrochloride;
- (E)-3-(6-Amino-5-morpholin-4-ylmethyl-pyridin-3-yl)-*N*-(1,7-dimethyl-1*H*-indol-2-ylmethyl)-*N*-methyl-acrylamide hydrochloride;
- (E)-3-(6-Amino-5-morpholin-4-ylmethyl-pyridin-3-yl)-N-(2-ethoxy-3-methoxy-benzyl)-N-methyl-acrylamide hydrochloride;
- $\label{lem:eq:hammer} \begin{tabular}{l} (E)-N-Methyl-N-(1-methyl-1$H-indol-3-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1$H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide; \end{tabular}$
- (E)-7-{2-[Methyl-(1-methyl-1H-indol-3-ylmethyl)-carbamoyl]-vinyl}-2-oxo-1,2,3,5-tetrahydro-pyrido[2,3-e][1,4]diazepine-4-carboxylic acid benzyl ester;
- $\label{eq:condition} (E)\mbox{-3-(2,4-Dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl)-N-methyl-N-(1-methyl-1H-indol-3-ylmethyl)acrylamide;}$
- $\label{lem:energy} $(E)-N-Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-(2-oxo-2,3-dihydro-oxazolo[4,5-b]) = (2-oxo-2,3-dihydro-oxazolo[4,5-b]) = (2-oxo-2,3-dihy$
- (E)-N-Methyl-N-(1-methyl-1H-indol-3-ylmethyl)-3-(2-oxo-2,3-dihydro-oxazolo[4,5-b]pyridin-6-yl)acrylamide;

- (E)-3-(6-Amino-5-{2-[methyl-(1-methyl-1*H*-indol-2-ylmethyl)carbamoyl]ethyl}pyridin-3-yl)-*N*-methyl-*N*-(1-methyl-1*H*-indol-2-ylmethyl)acrylamide;
- $\label{eq:continuous} (E)\mbox{-}3-(6-Amino-5-piperidin-1-ylmethyl-pyridin-3-yl)-N-methyl-N-(1-methyl-1H-indol-2-ylmethyl) acrylamide;$
- (E)-3-(6-Amino-5-pyrrolidin-1-ylmethyl-pyridin-3-yl)-N-methyl-N-(1-methyl-1H-indol-2-ylmethyl)acrylamide hydrochloride;
- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-methyl-N-(1-methyl-M-indol-2-ylmethyl)acrylamide hydrochloride;
- $\label{eq:continuous} \begin{tabular}{l} (E)-3-[6-Amino-5-(4-benzyl-piperidin-1-ylmethyl)pyridin-3-yl]-N-methyl-N-(1-methyl-li-indol-2-ylmethyl)acrylamide hydrochloride; \end{tabular}$
- (E)-3-(6-Amino-5-pyrrolidin-1-ylmethyl-pyridin-3-yl)-N-methyl-N-naphthalen-2-ylmethyl-acrylamide hydrochloride;
- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)acrylamide hydrochloride;
- (E)-3-(6-Amino-5-morpholin-4-ylmethyl-pyridin-3-yl)-N-methyl-N-(4-methyl-naphthalen-1-ylmethyl)acrylamide hydrochloride;
- (E)-3-(6-Amino-5-morpholin-4-ylmethyl-pyridin-3-yl)-N-methyl-N-(3-methylbenzo[b]thiophen-2-ylmethyl)acrylamide hydrochloride;
- $\label{lem:condition} \begin{tabular}{ll} (E)-3-(6-Amino-5-morpholin-4-ylmethyl-pyridin-3-yl)-$N-(3,4-dimethyl-thieno[2,3-b]thiophen-2-ylmethyl)-$N-methyl-acrylamide hydrochloride; \end{tabular}$
- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-(2-ethoxy-3-methoxy-benzyl)-N-methyl-acrylamide hydrochloride;
- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-methyl-N-(4-methyl-naphthalen-1-ylmethyl)acrylamide hydrochloride;

- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-benzofuran-2-ylmethyl-N-methyl-acrylamide hydrochloride;
- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-(3-methoxy-2-propoxy-benzyl)-N-methyl-acrylamide hydrochloride;
- (E)-3-[6-Amino-5-(4-methyl-piperazin-1-ylmethyl)pyridin-3-yl]-N-(2-ethoxy-3-methyl-benzyl)-N-methyl-acrylamide hydrochloride;
- (E)-N-(3-Methoxy-2-propoxy-benzyl)-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-
- [1,8]naphthyridin-3-yl)acrylamide hydrochloride;
- (E) N (2 Isopropoxy 3 methoxy benzyl) N methyl 3 (7 oxo 5, 6, 7, 8 tetra hydro-percentage) (2 Isopropoxy 3 methoxy benzyl) N methyl 3 (7 oxo 5, 6, 7, 8 tetra hydro-percentage) (2 Isopropoxy 3 methoxy benzyl) N methyl 3 (7 oxo 5, 6, 7, 8 tetra hydro-percentage) (2 oxo 5, 6, 7, 8 tetra hydro-percentage) (3 ox
- [1,8]naphthyridin-3-yl)acrylamide hydrochloride;
- (E)-N-(2-Ethoxy-3-methoxy-benzyl)-N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide hydrochloride;
- $\label{eq:continuous} (E)\hbox{-}3-[6-(2,5-Dioxo-pyrrolidin-1-yl)pyridin-3-yl]-N-methyl-$N-(1-methyl-1$H$-indol-2-ylmethyl)acrylamide;$
- $\label{eq:conditional} $(E)-N-(5-\{2-[Methyl-(1-methyl-1H-indol-2-ylmethyl)carbamoyl]vinyl} pyridin-2-yl)-4-(4-methyl-piperazin-1-yl)-4-oxo-butyramide;$
- (E)-1-Methyl-piperidine-4-carboxylic acid (5-{2-[methyl-(1-methyl-1*H*-indol-2-ylmethyl)carbamoyl]vinyl}pyridin-2-yl)amide;
- (E)-N-Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-[6-(2-pyridin-4-yl-acetylamino)pyridin-3-yl]acrylamide;

- (E)-1-Acetyl-piperidine-4-carboxylic acid (5-{2-[methyl-(1-methyl-1*H*-indol-2-ylmethyl)carbamoyl]vinyl}pyridin-2-yl)amide;
- (E)-3-(6-Amino-pyridin-3-yl)-N-(2,3-dimethoxy-benzyl)-N-methyl-acrylamide;
- (E)-N-(4-Acetylamino-benzyl)-3-(6-amino-pyridin-3-yl)-N-methyl-acrylamide;
- (E)-3-[3-(2-Dimethylamino-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]-N-methyl-N-(1-methyl-1H-indol-2-ylmethyl)acrylamide;
- (E)-N-Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1.2.3.4-tetrahydro-pyrido[2.3-d]pyrimidin-6-yllacrylamide hydrochloride;
- (E)-N-Methyl-N-(4-methyl-naphthalen-1-ylmethyl)-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- (E)-N-Acenaphthen-5-ylmethyl-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yllacrylamide hydrochloride;
- (E)-N-(2-Ethoxy-3-methoxy-benzyl)-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- (E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- (E)-(6-{2-[Methyl-(1-methyl-1*H*-indol-2-ylmethyl)carbamoyl]vinyl}-2-oxo-1,4-dihydro-2*H*-pyrido[2,3-*d*]pyrimidin-3-yl)acetic acid;
- Sodium (E)-(6-{2-[methyl-(1-methyl-1*H*-indol-2-ylmethyl)carbamoyl]vinyl}-2-oxo-1,4-dihydro-2*H*-pyrido[2,3-*d*]pyrimidin-3-yl)acetate:
- $Sodium\ (E)-(6-\{2-[methyl-(3-methyl-benzo[b]thiophen-2-ylmethyl)carbamoyl]vinyl\}-2-oxo-1, 4-dihydro-2H-pyrido[2,3-d]pyrimidin-3-yl)acetate;$
- $\label{eq:condition} $$(E)-N-Methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-{3-{2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl}-2-oxo-1,2,3,4-tetrahydro-pyrido{2,3-$d}pyrimidin-6-yl}acrylamide hydrochloride;$

- (E)-N-Methyl-N-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-{3-[2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl}acrylamide hydrochloride;
- (E)-2-Amino-5-{2-[methyl-(1-methyl-1*H*-indol-2-ylmethyl)carbamoyl]vinyl}-*N*-(2-morpholin-4-yl-ethyl)nicotinamide hydrochloride;
- (E)-N-(3-Methyl-benzo[b]thiophen-2-ylmethyl)-3-[3-(3-morpholin-4-yl-propyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- (E)-N-(2-Ethoxy-3-methoxy-benzyl)-N-methyl-3-[3-(3-morpholin-4-yl-propyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- $\label{eq:condition} $(E)-N-(5-\{2-[Methyl-(3-methyl-benzo[b]thiophen-2-ylmethyl)carbamoyl]vinyl} pyridin-2-yl)-4-(4-methyl-piperazin-1-yl)-4-oxo-butyramide;$
- (E)-N-(2,3-Diethoxy-benzyl)-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- (E)-N-(2-Isopropoxy-3-methoxy-benzyl)-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- $\label{eq:condition} $$(E)-N-(3-Methoxy-2-propoxy-benzyl)-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;$
- (E)-N-Methyl-N-(3-methyl-benzofuran-2-ylmethyl)-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- (E)-N-Methyl-N-(2-methyl-benzofuran-3-ylmethyl)-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yl]acrylamide hydrochloride;

- (E)-N-(3-Chloro-2-ethoxy-benzyl)-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1.2,3.4-tetrahydro-pyrido[2,3-d]pyrimidin-6-yllacrylamide hydrochloride;
- (E)-N-(4-Fluoro-naphthalen-1-ylmethyl)-N-methyl-3-[3-(2-morpholin-4-yl-ethyl)-2-oxo-1.2.3.4-tetrahydro-pyrido[2.3-d]pyrimidin-6-yl]acrylamide hydrochloride;
- $\label{lem:condition} \begin{tabular}{ll} (E)-$N-(2,3-Dimethoxy-benzyl)-$N-methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)acrylamide; \end{tabular}$
- $\label{eq:continuous} (E)-3-(6-Amino-5-morpholin-4-ylmethyl-pyridin-3-yl)-N-methyl-N-(1-methyl-1H-indol-3-ylmethyl) acrylamide;$
- (E)-3-(6-Amino-pyridin-3-yl)-N-methyl-N-thieno[3,2-c]pyridin-2-ylmethyl-acrylamide;
- (E)-N-Methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)-N-thieno[3,2-c]pyridin-2-ylmethyl-acrylamide;
- (E)-N-Methyl-3-(7-oxo-5,6,7,8-tetrahydro-[1,8]naphthyridin-3-yl)-N-thieno[3,2-c]pyridin-2-ylmethyl-acrylamide;
- $\label{eq:continuous} (E)\mbox{-3-(6-Amino-pyridin-3-yl)-} N-(2-ethoxy-3-methoxy-benzyl)-N-methyl-acrylamide hydrochloride;$
- $\label{eq:continuous} (E)\mbox{-3-(6-Amino-pyridin-3-yl)-N-(2-propoxy-3-methoxy-benzyl)-N-methyl-acrylamide hydrochloride:}$
- $\label{eq:continuous} \begin{tabular}{ll} (E)-3-(6-amino-pyridin-3-yl)-$N-(2-isopropoxy-3-methoxy-benzyl)-$N-methyl-acrylamide hydrochloride; \end{tabular}$
- $\label{eq:continuous} \begin{tabular}{ll} (E)-N-Acenaphthen-5-ylmethyl-3-(6-amino-pyridin-3-yl)-N-methyl-acrylamide hydrochloride; \end{tabular}$
- (E)-N-(1H-Indol-5-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)-acrylamide;
- (E)-N-Methyl-N-(1-methylindol-5-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-e][1,4]diazepin-7-yl)-acrylamide;

- (E)-N-(1H-Indol-7-ylmethyl)-N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-acrylamide;
- (E)-N-Methyl-N-(1-methylindol-7-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)-acrylamide;
- $\label{eq:condition} \begin{tabular}{ll} (E)-$N-(1$H-Indol-6-ylmethyl)-$N-methyl-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1$H-pyrido[2,3-e][1,4]diazepin-7-yl)-acrylamide; \end{tabular}$
- (E)-N-3-(6-Amino-pyridin-3-yl)-N-methyl-N-(2-methyl-benzofuran-3-ylmethyl)-acrylamide hydrochloride;
- (E)-3-(3,3-Dimethyl-2-oxo-2,3,4,5-tetrahydro-1*H*-pyrido[2,3-*e*][1,4]diazepin-7-yl)-*N*-methyl-*N*-(3-methyl-benzofuran-2-ylmethyl)acrylamide hydrochloride;
- $\label{lem:lem:hammer} \begin{tabular}{l} (E)-N-Methyl-N-(3-methyl-1H-inden-2-ylmethyl)-3-(4-methyl-2-oxo-2,3,4,5-tetrahydro-1H-pyrido[2,3-e][1,4]diazepin-7-yl)acrylamide hydrochloride; \end{tabular}$
- (E)-3-(6-{2-[Methyl-(3-methyl-benzo[b]thiophen-2-ylmethyl)carbamoyl]vinyl}-2-oxo-1.4-dihydro-2*H*-pyrido[2,3-*d*]pyrimidin-3-yl)propionic acid ethyl ester;
- $\label{eq:continuity} (E) 3 (6-\text{amino-5-cyano-pyridin-3-yl}) N \text{methyl-} N (1-\text{methyl-1}H \text{indol-2-ylmethyl}) (1-\text{methyl-2-ylmethyl}) (1-\text{methyl-2-ylmethy$
- (E)-N-methyl-N-(1-methyl-1H-indol-2-ylmethyl)-3-(2-oxo-1,2,3,4-tetrahydro-pyrido-[2,3-b]pyrazin-7-yl)-acrylamide.
- 21. (Original) The compound of claim 1, wherein the compound inhibits FabI with a K₁ of about 5 μM or less, about 1 μM or less, about 100 nM or less, about 10 nM or less, or about 1 nM or less.
- (Original) The compound of claim 1, wherein the compound inhibits FabI with an IC₅₀ of about 30 μM or less, about 1 μM or less, about 100 nM or less, or about 10 nM or less.
- (Original) The compound of claim 1, wherein the compound inhibits FabI with an MIC of about 32 µg/mL or less, about 16 µg/mL or less, or about 8 µg/mL or less, about 4 µg/mL

- or less, about 2 μg/mL or less, about 1 μg/mL or less, about 0.5 μg/mL or less, about 0.25 μg/mL or less, or about 0.125 μg/mL or less.
- (Original) A pharmaceutical composition comprising a compound of claim 1 and a pharmaceutically acceptable carrier or excipient.
- (Currently Amended) The composition of claim 24, wherein the composition is formulated for intraveneous or injectable, administration.
- 26. (Canceled) .
- (Original) The composition of claim 24, wherein the composition is formulated for topical application.
- 28.-29. (Canceled)
- (Original) The composition of claim 24, wherein the composition is formulated for oral administration.
- 31. (Original) The composition of claim 30, wherein the composition is formulated in tablets such that the amount of compound provided in 20 tablets, if taken together, provides a dose of at least the ED₅₀ but no more than ten times the ED₅₀.
- 32. (Original) The composition of claim 24, wherein the composition is formulated for parenteral administration such that the amount of compound provided in 20 cc bolus injection provides a dose of at least the ED₅₀ but no more that ten times the ED₅₀.
- 33. (Canceled)
- (Original) A pill for reducing bacterial levels in a subject with a bacteria related illness, comprising a compound of claim 1.
- (Original) The pill of claim 34, wherein the pill provides effective bacterial treatment for at least about 8 hours.
- 36.-47. (Canceled) .

- 48. (Original) A method of disinfecting an inanimate surface comprising administering to the inanimate surface a compound of claim 1.
- (Original) A kit comprising the pharmaceutical composition of claim 24 and instructions for use thereof.
- 50. (New) The compound of claim 6, wherein B is CH2.
- 51. (New) The compound of claim 50, wherein A comprises a nine-membered bicyclic heteroaryl comprising at least one O.